Brain Research, 400 (1987) 409–411
Elsevier

Author Index

Aguilar-Roblero, R., see Arankowsky-Sandoval, G., 155
Allen, R., see Brown, M., 35
Antonian, E., Perry, G.W., Grafstein, B., Fast axonally transported proteins in regenerating goldfish optic nerve: effect of abolishing electrophysiological activity with TTX, 403
Aou, S., see Hirano, T., 171
Arankowsky-Sandoval, G., Aguilar-Roblero, R., Prospéro-García, O. and Drucker-Colín, R., Rapid eye movement (REM) sleep and ponto-geniculo-occipital (PGO) spike density are increased by somatic stimulation, 155
Avoli, M. and Perreault, P., A GABAergic depolarizing potential in the hippocampus disclosed by the convulsant 4-aminopyridine, 191

Bachoo, M., Ciriello, J. and Polosa, C., Effect of preganglionic stimulation on neuropeptide-like immunoreactivity in the stellate ganglion of the cat, 377
Baird, J.L., see Carlson, J.N., 200
Bandler, R., see Griffith, N., 360
Bergstrom, D.A., see Carlson, J.H., 205
Birt, D., see Hirano, T., 171
Björklund, A., see Buzsáki, G., 321
Björklund, A., see Buzsáki, G., 334
Brown, M., Allen, R. and Fisher, L., Bombesin alters the sympathetic nervous system response to cold exposure, 35
Buzsáki, G., Gage, F.H., Czopf, J. and Björklund, A., Restoration of rhythmic slow activity (θ) in the subcortically denervated hippocampus by fetal CNS transplants, 334
Buzsáki, G., Gage, F.H., Kellényi, L. and Björklund, A., Behavioral dependence of the electrical activity of intracerebrally transplanted fetal hippocampus, 321

Carlson, J.H., Bergstrom, D.A. and Walters, J.R., Stimulation of both D_1 and D_2 dopamine receptors appears necessary for full expression of postsynaptic effects of dopamine agonists: a neurophysiological study, 205
Carlson, J.N., Herrick, K.F., Baird, J.L. and Glick, S.D., Selective enhancement of dopamine utilization in the rat prefrontal cortex by food deprivation, 200
Chapin, J.K., see Smith, S.S., 353
Chen, Y.-F. and Oparil, S., Enhanced response to the inhibitory action of LY17155, a dopamine D_2-agonist, on in vivo striatal dopamine release in DOCA/NaCl-hypertensive rats, 225
Chisar, D., see Dickman, J.D., 365
Ciaranello, R.D., see Todd, R.D., 247
Ciriello, J., see Bachoo, M., 377
Colton, C.A., see Dickman, J.D., 365
Colton, J.S., see Dickman, J.D., 365
Conn, P.J., Janowsky, A. and Sanders-Bush, E., Denervation supersensitivity of 5-HT-1c receptors in rat choroid plexus, 396
Crain, B., see Crain, S.M., 185
Crain, S.M., Crain, B. and Makman, M.H., Pertussis toxin blocks depressant effects of opioid, monoaminergic and muscarinic agonists on dorsal-horn network responses in spinal cord-ganglion cultures, 185
Czopf, J., see Buzsáki, G., 334

DeMyer, W., see Smith, G.N., 399
Dickman, J.D., Colton, J.S., Chisar, D. and Colton, C.A., Trigeminal responses to thermal stimulation of the oral cavity in rattlesnakes (*Crotalus viridis*) before and after bilateral anesthetization of the facial fit organs, 365
Drucker-Colín, R., see Arankowsky-Sandoval, G., 155
Dun, N.J., see Mo, N., 139

Engel, Jr., J., see Griffith, N., 360
Erwin, V.G., Korte, A. and Marty, M., Neurotensin selectively alters ethanol-induced anesthesia in LS/Ibg and SS/Ibg lines of mice, 80

Ferriero, D.M., see Sagar, S.M., 348
Fisher, L., see Brown, M., 35
Fonnum, F., see Fosse, V.M., 219
Fosse, V.M. and Fonnum, F., Biochemical evidence for glutamate and/or aspartate as neurotransmitters in fibers from the visual cortex to the lateral posterior thalamic nucleus (pulvinar) in rats, 219
Fujimoto, J.M., see Roerig, S.C., 278
Fukuchi, I., Kato, S., Nakahiro, M., Uchida, S., Ishida, R. and Yoshida, H., Blockade of cholinergic receptors by an irreversible antagonist, propylbenzilylcholine mustard (PrBCM), in the rat cerebral cortex causes deficits in passive avoidance learning, 53

Gage, F.H., see Buzsáki, G., 321
Gage, F.H., see Buzsáki, G., 334
Gebhart, G.F., see Janss, A.J., 40
Gervais, R., Local GABAergic modulation of noradrenaline release in the rat olfactory bulb on superfused slices, 151
Gerstberger, R., Healy, D.P., Hammel, H.T. and Simon, E., Autoradiographic localization and characterization of circumventricular angiotensin II receptors in duck brain, 165
Gibb, J.W., see Matsuda, L.A., 176
Glick, S.D., see Carlson, J.N., 200
Grafstein, B., see Antonian, E., 403
Griffith, N., Engel Jr., J. and Bandler, R., Ictal and enduring interictal disturbances in emotional behaviour in an animal model of temporal lobe epilepsy, 360
Grünwald, F., Schröck, H. and Kuschinsky, W., The effect of an acute nicotine infusion on the local cerebral glucose utilization of the awake rat, 232

Hammel, H.T., see Gerstberger, R., 165
Hanson, G.R., see Matsuda, L.A., 176
Healy, D.P., see Gerstberger, R., 165
Herrick, K.F., see Carlson, J.N., 200
Hingtgen, J., see Smith, G.N., 399
Hirano, T., Woody, C., Birt, D., Aou, S., Miyake, J. and Nenov, V., Pavlovian conditioning of discriminatively elicited eyeblink responses with short onset latency attributable to lengthened interstimulus intervals, 171
Hollyfield, J.G., see Hutchins, J.B., 300

Hutchins, J.B. and Hollyfield, J.G., Acetylcholinesterase in the human retina, 300

Ishida, R., see Fukuchi, I., 53
Itoh, K., Kamiya, H., Mitani, A., Yasui, Y., Takada, M. and Mizuno, N., Direct projections from the dorsal column nuclei and the spinal trigeminal nuclei to the cochlear nuclei in the cat, 145

Janowsky, A., see Conn, P.J., 396
Janss, A.J., Jones, S.L. and Gebhart, G.F., Effect of spinal norepinephrine depletion on descending inhibition of the tail flick reflex from the locus coeruleus and lateral reticular nucleus in the rat, 40
Jones, S.L., see Janss, A.J., 40

Kamiya, H., see Itoh, K., 145
Katafuchi, T., Puthuraya, K.P., Yoshimatsu, H. and Oomura, Y., Responses of rat lateral hypothalamic neuron activity to vestibular nuclei stimulation, 62
Kato, S., see Fukuchi, I., 53
Kellényi, L., see Buzsáki, G., 321
Korte, A., see Erwin, V.G., 80
Koyano, H., see Sato, M., 101
Kuschinsky, W., see Grünwald, F., 232
Kwan, H.C., Murphy, J.T. and Wong, Y.C., Interaction between neurons in precentral cortical zones controlling different joints, 259

Lange, D.G., see Roerig, S.C., 278

Makman, M.H., see Crain, S.M., 185
Marty, M., see Erwin, V.G., 80
Matsuda, L.A., Schmidt, C.J., Gibb, J.W. and Hanson, G.R., Ascorbic acid-deficient condition alters central effects of methamphetamine, 176
Meredith, M., see White, J., 159
Milosevic̀, I., see Salimova, N.B., 285
Mitani, A., see Itoh, K., 145
Miyake, J., see Hirano, T., 171
Mizuno, N., see Itoh, K., 145
Mo, N. and Dun, N.J., Is glycine an inhibitory transmitter in rat lateral horn cells?, 139
Moises, J.C. and Smith, C.B., Changes in cortical β-adrenergic receptor density and neuronal sensitivity to norepinephrine accompany morphine dependence and withdrawal, 110
Moreno, A.P., Ramon, F. and Spray, D.C., Variation of gap junction sensitivity to H ions with time of day, 181
Murakami, T.H., see Ozaki, H., 239
Murphy, J.T., see Kwan, H.C., 259

Nakahiro, M., see Fukuchi, I., 53
Neal, J.W., see Pearson, R.C.A., 127
Nenov, V., see Hirano, T., 171

Ogita, K., see Yoneda, Y., 70
Oka, Y., Satou, M. and Ueda, K., Morphology and distribution of the motor neurons of the accessory nerve (nXI) in the Japanese toad: a cobaltic lysine study, 383
Oka, Y., Takeuchi, H., Satou, M. and Ueda, K., Morphology and distribution of the preganglionic parasympathetic neurons of the facial, glossopharyngeal and vagus nerves in the Japanese toad: a cobaltic lysine study, 389
Oomura, Y., see Katafuchi, T., 62

Oparil, S., see Chen, Y.-F., 225
Ozaki, H., Murakami, T.H., Toyoshima, T. and Shimada, M., The fibers which leave the Probst's longitudinal bundle seen in the brain of an acallosal mouse: a study with the horseradish peroxidase technique, 239

Pearson, R.C.A., Neal, J.W. and Powell, T.P.S., Bilateral morphological changes in the substantia nigra of the rat following unilateral damage of the striatum, 127
Perreault, P., see Avoli, M., 191
Perry, G.W., see Antonian, E., 403
Polosa, C., see Bachoo, M., 377
Powell, T.P.S., see Pearson, R.C.A., 127
Prospéro-García, O., see Arankowsky-Sandoval, G., 155
Puthuraya, K.P., see Katafuchi, T., 62

Rakic̀, L., see Salimova, N.B., 285
Ramon, F., see Moreno, A.P., 181
Roerig, S.C., Fujimoto, J.M. and Lange, D.G., Development of tolerance to respiratory depression in morphine- and etorphine-pellet-implanted mice, 278

Sagar, S.M. and Ferriero, D.M., NADPH diaphorase activity in the posterior pituitary: relation to neuronal function, 348
Sakharov, D.A., see Salimova, N.B., 285
Salimova, N.B., Sakharov, D.A., Miloševic̀, I., Turpaev, T.M. and Rakic̀, L., Monoamine-containing neurons in the *Aplysia* brain, 285
Sanders-Bush, E., see Conn, P.J., 396
Sato, M. and Koyano, H., Autoradiographic study on the distribution of vagal afferent nerve fibers in the gastroduodenal wall of the rabbit, 101
Satou, M., see Oka, Y., 389
Satou, M., see Oka, Y., 383
Schmidt, C.J., see Matsuda, L.A., 176
Shimada, M., see Ozaki, H., 239
Shröck, H., see Grünwald, F., 232
Simerly, R.B. and Swanson, L.W., The distribution of neurotransmitter-specific cells and fibers in the anteroventral periventricular nucleus: implications for the control of gonadotropin secretion in the rat, 11
Simon, E., see Gerstberger, R., 165
Sinnamon, H.M., Glutamate and picrotoxin injections into the preoptic basal forebrain initiate locomotion in the anesthetized rat, 270
Smith, C.B., see Moises, J.C., 110
Smith, G.N., Hingtgen, J. and DeMyer, W., Serotonergic involvement in the backward tumbling response of the parlor tumbler pigeon, 399
Smith, K.L. and Swann, J.W., Carbamazepine suppresses synchronized afterdischarging in disinhibited immature rat hippocampus in vitro, 371
Smith, S.S., Waterhouse, B.D., Chapin, J.K. and Woodward, D.J., Progesterone alters GABA and glutamate responsiveness: a possible mechanism for its anxiolytic action, 353
Spray, D.C., see Moreno, A.P., 181
Sripanidkulchai, B. and Wyss, J.M., The development of α_2-adrenoceptors in the rat kidney: correlation with noradrenergic innervation, 91
Swann, J.W., see Smith, K.L., 371
Swanson, L.W., see Simerly, R.B., 11

Takada, M., see Itoh, K., 145
Takeuchi, H., see Oka, Y., 389

Todd, R.D. and Ciaranello, R.D., Multiple high-affinity [^{3}H]serotoninbinding sites in human frontal cortex, 247
Toyoshima, T., see Ozaki, H., 239
Turpaev, T.M., see Salimova, N.B., 285

Uchida, S., see Fukuchi, I., 53
Ueda, K., see Oka, Y., 383
Ueda, K., see Oka, Y., 389

Veldsema-Currie, R.D., Acetylcholine stores in rat diaphragm are increased by higher concentrations of dexamethasone, 196

Walters, J.R., see Carlson, J.H., 205
Waterhouse, B.D., see Smith, S.S., 353
Weight, F.F., see Yavari, P., 133
White, J. and Meredith, M., The nervus terminalis of the shark: the effect of efferent impulses on ganglion cell activity, 159
Wong, Y.C., see Kwan, H.C., 259
Woodward, D.J., see Smith, S.S., 353
Woody, C., see Hirano, T., 171
Wyss, J.M., see Sripanidkulchai, B., 91

Yamamoto, T. and Yuyama, N., On a neural mechanism for cortical processing of taste quality in the rat, 312
Yasui, Y., see Itoh, K., 145
Yavari, P. and Weight, F.F., Antagonists discriminate muscarinic excitation and inhibition in sympathetic ganglion, 133
Yoneda, Y. and Ogita, K., Are Ca^{2+}-dependent proteases really responsible for Cl^--dependent and Ca^{2+}-stimulated binding of [^{3}H]glutamate in rat brain?, 70
Yoshida, H., see Fukuchi, I., 53
Yoshimatsu, H., see Katafuchi, T., 62
Yuyama, N., see Yamamoto, T., 312